

**This policy is based on statutory expectations from the New Curriculum 2014. Year groups have not been included, to allow the School flexibility in deciding appropriate methods for different groups of children.**

**Mereworth Community Primary School**  
**Progression towards a standard method of Calculation January 2015**

**Introduction:**

The National Curriculum 2014 provides a structured and systematic approach to the teaching of calculation. At Mereworth Community Primary School, we have developed a consistent approach to the teaching of written calculation methods in order to establish consistency, continuity and progression throughout the school.

**Aims:**

Children should be able to choose an efficient method, mental, written or ICT (calculator) appropriate to the given task. By the end of Year 6, children working at Age Expected or Exceeding will have been taught, and be secure with, a compact standard method for each operation.

**General Progression:**

- Establish mental methods, based on a good understanding of place value
- Use of informal jottings to aid mental calculations
- Develop use of empty number line to help mental imagery and aid recording
- Use partitioning and recombining to aid informal methods
- Introduce expanded written methods
- Develop expanded methods into compact standard written form

**Before carrying out a calculation, children will be encouraged to consider :**

- Can I do it in my head? (using rounding, adjustment)
- The size of an approximate answer (estimation)
- Could I use jottings to keep track of the calculation?
- Do I need to use an expanded or compact written method?

**When are children ready for written calculations?**

**Addition and subtraction:**

- Do they know addition and subtraction facts to 20?
- Do they understand place value and can they partition numbers?
- Can they add three single digit numbers mentally?
- Can they add and subtract any pair of two digit numbers mentally?
- Can they explain their mental strategies orally and record them using informal jottings?

**Multiplication and Division:**

- Do they know the 2,3,4,5,6,7,8,9,10,11 and 12 times tables and corresponding division facts?
- Do they know the result of multiplying by 1 and 0?
- Do they understand 0 as a place holder?
- Can they multiply two and three digit numbers by 10 and 100?
- Can they double and halve two digit numbers mentally?
- Can they use multiplication and division facts they know to derive mentally other multiplication and division facts that they do not know?
- Can they explain their mental strategies orally and record them using informal jottings?

These lists are not exhaustive but are a guide for the teacher to judge when a child is ready to move from informal to formal methods of calculation. It is also important that children's mental methods of calculation are practised and secured alongside their learning and use of an efficient written method for each operation.

**Point to note:**

*The correct terminology should be used when referring to the value of digits to support the children's understanding of place value.*


*E.g. Tens and Ones and  $68 + 47$  should be read 'sixty add forty' not 'six add four'*

*Teachers should refer to the key vocab document for key vocabulary for each year group.*

**Progression of Written Calculations**




Key Stage	Progression of Written Calculations
<b>Foundation</b>	Children begin to record in the context of play or practical activities and problems.
<b>Stage 1</b>	Children will: <ul style="list-style-type: none"> <li>• Develop the use of pictures and mixture of words and symbols to represent numerical activities</li> <li>• Use of standard symbols and conventions (0 – 9, +, -, x, ÷, =)</li> <li>• Use of jottings to aid mental calculations, number tracks, empty number lines, partitioning</li> </ul> <p><b>(Initially all calculations at KS1 will be presented horizontally and by the end of Year 2 calculations will be presented vertically for addition and subtraction).</b></p>
<b>Stage 2</b>	Children will: <ul style="list-style-type: none"> <li>• Continue use of jottings to aid mental calculations</li> <li>• Use of compact, and as appropriate expanded, methods for addition and subtraction</li> <li>• Develop use of compact method for addition and subtraction</li> <li>• Use of expanded methods for multiplication and division (by the end of year 4)</li> </ul> Begin to use ICT including a calculator as a tool to check calculations. <b>(Calculations are presented horizontally and vertically)</b>
<b>Stage 3</b>	<ul style="list-style-type: none"> <li>• Continue use of jottings to aid mental calculations</li> <li>• Secure understanding of compact methods for addition and subtraction (develop use with decimals)</li> <li>• Develop use of compact methods for multiplication and division, expanded methods still acceptable</li> <li>• Effective use of ICT including a calculator as a tool to check calculations.</li> </ul> <p><b>(Calculations presented horizontally and vertically)</b></p>

## Progression in Addition

Stage	Progression of Written Calculations								
<b>Foundation</b>	<p><b>Begin to relate addition to combining two groups of objects</b></p> <ul style="list-style-type: none"> <li>• Make a record in pictures, words or symbols of addition activities already carried out</li> <li>• Construct number sentences to go with practical activities</li> <li>• Relate addition to counting on</li> <li>• Use of games and songs to develop vocabulary</li> </ul>								
<b>Stage 1</b>	<p><b>Understand the operation of addition and use the related vocabulary</b></p> <ul style="list-style-type: none"> <li>• Record simple mental additions in a number sentence using + and =</li> <li>• Know that addition can be done in any order</li> <li>• Introduction of empty number lines</li> <li>• Count on from the most significant number</li> <li>• Continue to develop the use of vocabulary</li> </ul> <ul style="list-style-type: none"> <li>• Continue to use practical apparatus and visual aids to support the recording of calculations</li> <li>• Begin to partition and recombine (seeing <math>12 + 15</math> as <math>10 + 10</math> and <math>2 + 5</math>, then <math>20 + 7</math> as <math>27</math>)</li> <li>• Using informal jottings with larger numbers (the empty numberline)</li> </ul> <p><b><math>42 + 17 = 59</math></b></p> 								
<b>Stage 2</b>	<p><b>Develop pencil and paper methods for additions that cannot be done mentally</b></p> <p><b><math>35 + 52</math></b></p> <p><math>5 + 2 = 7</math>  <math>30 + 50 = 80</math>  <math>80 + 7 = 87</math></p> <p>(no formal layout, informal jottings)</p> <ul style="list-style-type: none"> <li>• Continue informal partitioning, reinforce use of empty number line.</li> <li>• Expanded written method, horizontal layout. (NO 'carrying').</li> </ul> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;"><b><math>35 + 52</math></b></td> <td style="text-align: center; width: 50%;"><b><math>67 + 24</math></b></td> </tr> <tr> <td style="text-align: center;"><math>50 + 2</math></td> <td style="text-align: center;"><math>60 + 7</math></td> </tr> <tr> <td style="text-align: center;"><math>30 + 5</math></td> <td style="text-align: center;"><math>20 + 4</math></td> </tr> <tr> <td style="text-align: center;"><u><math>80 + 7 = 87</math></u></td> <td style="text-align: center;"><u><math>80 + 11 = 91</math></u></td> </tr> </table>	<b><math>35 + 52</math></b>	<b><math>67 + 24</math></b>	$50 + 2$	$60 + 7$	$30 + 5$	$20 + 4$	<u><math>80 + 7 = 87</math></u>	<u><math>80 + 11 = 91</math></u>
<b><math>35 + 52</math></b>	<b><math>67 + 24</math></b>								
$50 + 2$	$60 + 7$								
$30 + 5$	$20 + 4$								
<u><math>80 + 7 = 87</math></u>	<u><math>80 + 11 = 91</math></u>								

<p><b>Stage 3</b></p>	<p>Add least significant digits first:</p> $\begin{array}{r} 264 \\ + \underline{48} \\ 12 \\ 100 \\ \underline{200} \\ \underline{312} \end{array}$
<p><b>Stage 4</b></p>	<p>Children will progress to using the compact written method, involving carrying, with least significant digit first</p> $\begin{array}{r} 783 \\ + \underline{135} \\ \underline{918} \\ 1 \end{array}$ <p><b>Extend written methods to column addition of two integers less than 10 000 as appropriate</b> <i>(could explore larger numbers with expanded methods, then apply compact method with least significant digits first)</i></p> <ul style="list-style-type: none"> <li>• Add several numbers with different numbers of digits</li> </ul> $\begin{array}{r} 47 \\ + \underline{76} \\ \underline{123} \\ 11 \end{array} \qquad \begin{array}{r} 258 \\ + \underline{87} \\ \underline{345} \\ 11 \end{array} \qquad \begin{array}{r} 366 \\ + \underline{458} \\ \underline{824} \\ 11 \end{array}$ <ul style="list-style-type: none"> <li>• Extend column addition to the use of decimals, including amounts of money, lengths, weights</li> </ul>

## Progression in Subtraction

Stage	Progression of Written Calculations
<b>Foundation</b>	<p><b>Begin to relate subtraction to 'taking away'</b></p> <ul style="list-style-type: none"> <li>• Make a record in pictures, words or symbols of subtraction activities already carried out</li> <li>• Use of games and songs to develop vocabulary</li> <li>• Construct number sentences to go with practical activities</li> <li>• Relate subtraction to taking away and counting how many objects are left.</li> </ul>
<b>Stage 1</b>	<p><b>Understand the operation of subtraction and use the related vocabulary</b></p> <ul style="list-style-type: none"> <li>• Use of pictures and visual aids to record calculations</li> <li>• Record simple mental subtractions in a number sentence using – and =</li> <li>• Develop use of vocabulary</li> <li>• Use jottings to support mental subtractions (empty numberline)</li> </ul> <p>Children to decide how to set out numberlines i.e. the number of steps to use</p> <p><b>34 - 27</b></p>  <p>A number line starting at 7 and ending at 34. The numbers 7, 8, 9, 10, 14, 24, and 34 are marked. Above the line, four jumps are shown with arcs: a small jump from 7 to 8 labeled '- 3', a slightly larger jump from 8 to 9 labeled '- 4', a large jump from 9 to 14 labeled '- 10', and another large jump from 14 to 24 labeled '- 10'. The final point is 34.</p>
<b>Stage 2</b>	<p><b>Develop pencil and paper methods for subtractions that cannot, at this stage, be done mentally (two-digit numbers)</b></p> <p><b>67 - 25</b></p> <p>With jottings and partitioning  <math>67 - 20 = 47</math>      <math>47 - 5 = 42</math></p> <p>Counting on to find a difference</p>  <p>A number line starting at 0 and ending at 67. The numbers 0, 25, 35, 45, 55, 65, and 67 are marked. Above the line, five jumps are shown with arcs: four jumps of +10 (from 25 to 35, 35 to 45, 45 to 55, 55 to 65) and one final jump of +2 from 65 to 67.</p> <p>Using multiples of 10</p>  <p>A number line starting at 25 and ending at 67. The numbers 25, 30, 40, 50, 60, and 67 are marked. Above the line, five jumps are shown with arcs: a jump of +5 from 25 to 30, three jumps of +10 (from 30 to 40, 40 to 50, 50 to 60), and a final jump of +7 from 60 to 67.</p> <ul style="list-style-type: none"> <li>• Subtraction can also be recorded using partitioning to answer equivalent calculations that could then be carried out mentally  <math>74 - 27 = 74 - 20 - 7 = 54 - 7 = 47</math>  <math>74 - 27 = 70 + 4 - 20 + 7 = 60 + 14 - 20 + 7 = 40 + 7 = 47</math></li> </ul> <p>Children need to be introduced to the concept of the unknown number:</p> <p><math>62 - \square = 27</math></p>

**Stage 3****Expanded written methods showing vertical layout but with no decomposition**

$$\begin{array}{r} 60 \quad 7 \\ - 20 \quad 5 \\ \hline 40 \quad 2 \end{array} \rightarrow 42$$

- **Expanded decomposition**

$$\begin{array}{r} 80 \quad 1 \\ - 50 \quad 7 \\ \hline 20 \quad 4 \end{array} \rightarrow 24$$

- **Extend to 3-digit number and hundreds to tens decomposition**

$$\begin{array}{r} 700 \quad 50 \quad 4 \\ - 80 \quad 6 \\ \hline 600 \quad 140 \quad 14 \\ - 80 \quad 6 \\ \hline 600 \quad 60 \quad 8 \end{array} \rightarrow 686$$

Once children are aware that tens or hundreds are brought across, they can cross numbers out and write the adjusted amount in each column, to make this method less time consuming

$$\begin{array}{r} 600 \quad 140 \quad 14 \\ ~~700 \quad 50 \quad 4~~ \\ - 80 \quad 6 \\ \hline 600 \quad 60 \quad 8 \end{array} \rightarrow 686$$

**Stage 4****Compact written methods involving decomposition**

$$\begin{array}{r} 5 \quad 13 \\ 363 \\ - 127 \\ \hline 236 \end{array}$$

- Provide examples where children deal with 0 as a place holder

$$503 - 278$$

$$\begin{array}{r} 500 + 0 + 3 \\ - 200 + 70 + 8 \\ \hline 200 + 20 + 5 \end{array} \quad \begin{array}{r} 400 + 90 + 13 \\ - 200 + 70 + 8 \\ \hline 200 + 20 + 5 \end{array} \quad \begin{array}{r} 400 \quad 90 \quad 13 \\ ~~500 + 0 + 3~~ \\ - 200 + 70 + 8 \\ \hline 200 + 20 + 5 \end{array} \quad \begin{array}{r} 4 \quad 9 \quad 13 \\ ~~503~~ \\ - 278 \\ \hline 225 \end{array}$$


Here 0 acts as a place holder for the tens. The adjustment has to be done in two stages. First the 500 + 0 is partitioned into 400 + 100 and then the 100 + 3 is partitioned into 90 + 13.

**Stage 5**

- Extend written methods for subtraction, to include decimal numbers with up to 2 decimal places and larger numbers up to 10 000
- Choose the most efficient and appropriate method for each calculation

## Progression in Multiplication and Division

Concepts in multiplication and division are very closely linked, and should be developed together

Stage	Progression in multiplication	Progression in division
Foundation	<p><b>Real life contexts and use of practical equipment to count in repeated groups of the same size:</b></p> <ul style="list-style-type: none"> <li>Count in twos, fives, tens</li> </ul>	<p><b>Share objects into equal groups</b> Use related vocabulary</p>
Stage 1	<p><b>Draw pictures to show equal sets:</b></p> <p>3 sets of 3 make 9  </p> <p>2 sets of 4 make 8  </p> <p><b>Count in twos, fives and tens</b></p> <ul style="list-style-type: none"> <li>Identify patterns of 2s, 5s, 10s on a hundred square</li> <li>Solve practical problems that combine groups of 2s, 5s and 10s.</li> </ul>	<p><b>Draw pictures to show sharing and grouping:</b> 9 shared between 3  </p> <p>How many groups of 4 in 8?  </p> <p><b>Count in twos, fives and tens</b></p> <ul style="list-style-type: none"> <li>Solve practical problems sharing groups of 2, 5 and 10.</li> </ul>
Stage 2	<p><b>Develop use of vocabulary for multiplication.</b></p> <ul style="list-style-type: none"> <li>Use <math>\times</math> symbol.</li> </ul> <p><b>Count confidently in steps of 2, 5 and 10.</b></p> <ul style="list-style-type: none"> <li>Recall multiplication facts for 2, 5 and 10.</li> </ul> <p><b>Begin to count in steps of 3, 4 and 8.</b></p> <ul style="list-style-type: none"> <li>Use of empty numberlines and 100 squares as visual reminders when learning to count in steps of 3, 4 and 5.</li> </ul> <p><b>Understand the operation of multiplication as repeated addition or as describing an array</b></p> <ul style="list-style-type: none"> <li>Make arrays practically</li> <li>Use <math>\times</math> and <math>=</math> to record mental calculations</li> <li>Use a range of vocabulary: 3 lots of 2 2 lots of 3 'groups of' <math>3 \times 2 = 6</math> multiplied by times</li> </ul>	<p><b>Develop use of vocabulary for division.</b></p> <ul style="list-style-type: none"> <li>Use <math>\div</math> symbol.</li> </ul> <p><b>Count confidently in steps of 2, 5 and 10.</b></p> <ul style="list-style-type: none"> <li>Recall division facts for 2, 5 and 10.</li> </ul> <p><b>Practical tasks:</b></p> <ul style="list-style-type: none"> <li>Sharing equally: <math>15 \div 3 =</math> 15 shared between 3</li> <li>Grouping: <math>15 \div 3</math> how many 3s in 15?</li> </ul> <p><b>Relate grouping to arrays</b></p> <ul style="list-style-type: none"> <li>Use <math>\div</math> and <math>=</math> to record number calculations <math>6 \div 2 = 3</math> <math>6 \div 3 = 2</math></li> <li>Use a number line to illustrate grouping e.g. <math>8 \div 2 = 4</math>  </li> </ul> <p>Begin to solve practical problems involving remainders</p>

### Stage 3

#### Learn additional multiplication facts and work on different ways to derive new facts from those that they already know

- Know by heart multiplication facts for x2, x3, x4, x5, x6, x7, x8, x9, x10, x11 and x12.
- Recognise multiples of 2, 5 and 10 up to 1000.
- Understand effect of multiplying by 10
- Multiply a single digit by 1, 10, 100

$$7 \times 10 = 70$$

$$4 \times 100 = 400$$

- Double any multiple of 5 up to 50

$$35 \times 2 = 70$$

$$\square \times 2 = 50$$

- Derive related facts

$$7 \times 5 = 35$$

$$5 \times 7 = 35$$

$$35 \div 5 = 7$$

$$35 \div 7 = 5$$

#### Develop and refine written methods for multiplication, based on mental strategies:

- Multiply a 2-digit number by a single digit number, multiplying the tens first

- Using multiples of 10 (mentally)  
 $4 \times 30 = (4 \times 3) \times 10$   
 $= 120$

- Use jottings to show stages of calculation e.g.

(Tens Ones x Ones)  $32 \times 3$

$$32 \times 3 = (30 \times 3) + (2 \times 3)$$

$$= 90 + 6$$

$$= 96$$

or:  $30 \quad 2$

$$\begin{array}{r} \downarrow \quad \downarrow \\ 90 \quad 6 \end{array} \times 3$$

$$90 \quad 6 \rightarrow 96$$

**NB: It is important that children continue to use jottings to support mental calculations for multiplication and division, throughout KS2**

#### Derive quickly division facts corresponding to 2, 5, and 10 times table

- Continue to use empty number lines for division and introduce remainders.
- Understand effect of dividing by 10
- Divide a 3-digit multiple of 100 by 10 or 100

$$800 \div 100 = 8$$

$$300 \div 10 = 30$$

- Halve any multiple of 10 up to 100

$$50 \div 2 = 25$$

$$\square \div 2 = 35$$

- Given three numbers such as 4, 5, 20; say or write four different multiplication and division statements.
- Solve division calculations by using multiplication strategies
- Round remainders up or down depending on the context.

#### Develop and refine written methods for division, building upon mental strategies.

- Divide a 2-digit number by a single-digit, by using multiples of the divisor

##### Either:

- Use informal jottings

E.g.:  $84 \div 7 =$

$$70 + 14$$

$$\begin{array}{c} \downarrow \quad \downarrow \div 7 \\ 10 + 2 = 12 \end{array}$$

$$10 + 2 = 12$$

**Or:** use a method linked to the grid method for multiplication

×		
7	70	14

 → 

×	10	2
7	70	14

 $10 + 2 = 12$

As the mental method is recorded, ask: 'How many sevens in seventy?' and: 'How many sevens in fourteen?'

**Or:** Record mental division using partitioning:

$$64 \div 4 = (40 + 24) \div 4$$

$$= (40 \div 4) + (24 \div 4)$$

$$= 10 + 6 = 16$$

<p><b>Stage 4</b></p>	<p><b>Develop the extended written method of the grid method Tens Ones x Ones</b></p> <p>e.g. <math>37 \times 4</math></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">x</td> <td style="padding: 5px; border-right: 1px solid black;">30</td> <td style="padding: 5px; border-right: 1px solid black;">7</td> </tr> <tr> <td style="padding: 5px; border-top: 1px solid black;">4</td> <td style="padding: 5px; border-top: 1px solid black; border-right: 1px solid black;">120</td> <td style="padding: 5px; border-top: 1px solid black;">28</td> </tr> </table> <p style="text-align: center; margin-top: 10px;"><math>120 + 28 = 148</math></p>	x	30	7	4	120	28	<p><b>Develop use of short division method</b></p> <p><b>Short division</b></p> <div style="display: flex; justify-content: space-around; font-size: small;"> <div style="text-align: center;"> <p>98 ÷ 7 becomes</p> <table style="margin: 0 auto;"> <tr><td style="padding: 0 5px;">1</td><td style="padding: 0 5px;">4</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">7</td><td style="padding: 0 5px;">98</td></tr> </table> <p>Answer: 14</p> </div> <div style="text-align: center;"> <p>432 ÷ 5 becomes</p> <table style="margin: 0 auto;"> <tr><td style="padding: 0 5px;">8</td><td style="padding: 0 5px;">6</td><td style="padding: 0 5px;">r2</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">5</td><td style="padding: 0 5px;">432</td><td style="padding: 0 5px;">2</td></tr> </table> <p>Answer: 86 remainder 2</p> </div> <div style="text-align: center;"> <p>496 ÷ 11 becomes</p> <table style="margin: 0 auto;"> <tr><td style="padding: 0 5px;">4</td><td style="padding: 0 5px;">5</td><td style="padding: 0 5px;">r1</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">11</td><td style="padding: 0 5px;">496</td><td style="padding: 0 5px;">6</td></tr> </table> <p>Answer: <math>45\frac{1}{11}</math></p> </div> </div>	1	4	7	98	8	6	r2	5	432	2	4	5	r1	11	496	6																				
x	30	7																																										
4	120	28																																										
1	4																																											
7	98																																											
8	6	r2																																										
5	432	2																																										
4	5	r1																																										
11	496	6																																										
<p><b>Stage 5</b></p>	<p><b>Extend written methods, encouraging estimation first.</b></p> <p>Grid method (HTOnes x Ones) e.g. <math>246 \times 7</math></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">x</td> <td style="padding: 5px; border-right: 1px solid black;">200</td> <td style="padding: 5px; border-right: 1px solid black;">40</td> <td style="padding: 5px; border-right: 1px solid black;">6</td> </tr> <tr> <td style="padding: 5px; border-top: 1px solid black;">7</td> <td style="padding: 5px; border-top: 1px solid black; border-right: 1px solid black;">1400</td> <td style="padding: 5px; border-top: 1px solid black; border-right: 1px solid black;">280</td> <td style="padding: 5px; border-top: 1px solid black;">42</td> </tr> </table> <p style="text-align: center; margin-top: 10px;"><math>1400 + 280 + 42 = 1722</math></p> <p>Grid method (TOnes x TOnes) e.g. <math>62 \times 36</math></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">x</td> <td style="padding: 5px; border-right: 1px solid black;">60</td> <td style="padding: 5px; border-right: 1px solid black;">2</td> </tr> <tr> <td style="padding: 5px; border-top: 1px solid black;">30</td> <td style="padding: 5px; border-top: 1px solid black; border-right: 1px solid black;">1800</td> <td style="padding: 5px; border-top: 1px solid black;">60</td> </tr> <tr> <td style="padding: 5px; border-top: 1px solid black;">6</td> <td style="padding: 5px; border-top: 1px solid black; border-right: 1px solid black;">360</td> <td style="padding: 5px; border-top: 1px solid black;">12</td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px; border-right: 1px solid black;">2160</td> <td style="padding: 5px;">72</td> </tr> </table> <p style="text-align: center; margin-top: 10px;"><math>2160 + 72 = 2232</math></p> <p>This will then lead to a compact written method for multiplication;</p> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div style="text-align: center;"> <p><b>Either:</b></p> <table style="margin: 0 auto;"> <tr><td style="padding: 0 5px;">246</td></tr> <tr><td style="border-top: 1px solid black; padding: 0 5px;">x 7</td></tr> <tr><td style="padding: 0 5px;">42 (6 X 7)</td></tr> <tr><td style="padding: 0 5px;">280(40 X 7)</td></tr> <tr><td style="padding: 0 5px;">1400(200 X 7)</td></tr> <tr><td style="border-top: 1px solid black; padding: 0 5px;">1722</td></tr> </table> </div> <div style="text-align: center;"> <p><b>or:</b></p> <table style="margin: 0 auto;"> <tr><td style="padding: 0 5px;">246</td></tr> <tr><td style="border-top: 1px solid black; padding: 0 5px;">x 7</td></tr> <tr><td style="padding: 0 5px;">42</td></tr> <tr><td style="padding: 0 5px;">280</td></tr> <tr><td style="padding: 0 5px;">1400</td></tr> <tr><td style="border-top: 1px solid black; padding: 0 5px;">1722</td></tr> </table> </div> </div>	x	200	40	6	7	1400	280	42	x	60	2	30	1800	60	6	360	12		2160	72	246	x 7	42 (6 X 7)	280(40 X 7)	1400(200 X 7)	1722	246	x 7	42	280	1400	1722	<ul style="list-style-type: none"> <li>• short division giving quotient as fraction e.g. <math>90 \div 7 = 12\frac{6}{7}</math></li> </ul> $7 \overline{) 92} \begin{matrix} 12 \\ \end{matrix} \frac{6}{7}$ <ul style="list-style-type: none"> <li>• giving quotient as decimal</li> </ul> $676 \div 8 =$ <table style="margin-left: auto; margin-right: auto;"> <tr><td style="padding: 0 5px;">84.5</td></tr> <tr><td style="border-top: 1px solid black; padding: 0 5px;">8 ) 676</td></tr> <tr><td style="padding: 0 5px;">- 400 (50x8)</td></tr> <tr><td style="padding: 0 5px;">276</td></tr> <tr><td style="padding: 0 5px;">- 240 (30x8)</td></tr> <tr><td style="padding: 0 5px;">36</td></tr> <tr><td style="padding: 0 5px;">- 32 (4x8)</td></tr> <tr><td style="padding: 0 5px;">4</td></tr> <tr><td style="padding: 0 5px;">- 4 (0.5x8)</td></tr> <tr><td style="padding: 0 5px;">0</td></tr> </table> <ul style="list-style-type: none"> <li>• short division of numbers involving decimals (<math>87.5 \div 7</math>)</li> </ul> <p>Short division method can be used when children are confident to divide two and three digit numbers by a single digit.</p> <p>So</p> $1 \begin{matrix} 2.5 \\ \end{matrix} \overline{) 87.5}$ $1 \begin{matrix} 2.5 \\ \end{matrix} \overline{) 817.35}$	84.5	8 ) 676	- 400 (50x8)	276	- 240 (30x8)	36	- 32 (4x8)	4	- 4 (0.5x8)	0
x	200	40	6																																									
7	1400	280	42																																									
x	60	2																																										
30	1800	60																																										
6	360	12																																										
	2160	72																																										
246																																												
x 7																																												
42 (6 X 7)																																												
280(40 X 7)																																												
1400(200 X 7)																																												
1722																																												
246																																												
x 7																																												
42																																												
280																																												
1400																																												
1722																																												
84.5																																												
8 ) 676																																												
- 400 (50x8)																																												
276																																												
- 240 (30x8)																																												
36																																												
- 32 (4x8)																																												
4																																												
- 4 (0.5x8)																																												
0																																												

	<p>Double digit multiplication</p> <p>24 x17</p> $\begin{array}{r} 24 \\ 17 \times \\ \hline 28 \text{ (4x7)} \\ 140 \text{ (20x7)} \\ 40 \text{ (10x4)} \\ 200 \text{ (10x20)} + \\ \hline 408 \end{array}$																									
<p><b>Stage 6</b></p>	<p><b>Extend written methods for multiplication, encouraging estimation first.</b></p> <ul style="list-style-type: none"> <li>continue to use grid method as an expanded written method</li> <li>develop short multiplication</li> </ul> $\begin{array}{r} 625 \\ \times 6 \\ \hline 3750 \\ 13 \end{array}$ <ul style="list-style-type: none"> <li>leading to multiplication of numbers involving decimals</li> </ul> $\begin{array}{r} 4.62 \\ \times 3 \\ \hline 13.86 \\ 1 \end{array}$ <p><i>Pupils will be taught the more compact method of multiplication if and when the teacher feels they are ready for it.</i></p> $\begin{array}{r} 27 \\ 35 \times \\ \hline \end{array}$ <p>So 5 x 7 (ones) 5 x 2 (tens) 3 x 7 (ones) 3 x 2 (tens)</p> <p>Then progress to:</p> $\begin{array}{r} 27 \\ \underline{35 \times} \\ 135 \\ 3 \\ \underline{810} \\ 2 \\ 945 \end{array}$	<p><b>Long Division: Extend written methods, encouraging estimation first</b></p> <p>So <math>28 \frac{12}{15}</math> or 28.8</p> $\begin{array}{r} 28 \text{ } 12/15 \\ 15 \overline{) 43132} \end{array}$ <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">1x15=15</td> <td style="width: 33%;">to 15 1</td> <td style="width: 33%;"></td> </tr> <tr> <td>2x15=30</td> <td>30 2</td> <td></td> </tr> <tr> <td>3x15=45</td> <td>45 3</td> <td></td> </tr> <tr> <td>4x15=60</td> <td>60 4</td> <td></td> </tr> <tr> <td>5x15=75</td> <td>75 5</td> <td></td> </tr> <tr> <td>6x15=90</td> <td>90 6</td> <td></td> </tr> <tr> <td>7x15=105</td> <td>105 7</td> <td></td> </tr> <tr> <td>8x15=120</td> <td></td> <td></td> </tr> </table> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;"> <p><small>15x20</small></p> <math display="block">\begin{array}{r} 28 \text{ r } 12 \\ 15 \overline{) 432} \\ \underline{300} \\ 132 \\ \underline{120} \\ 12 \end{array}</math> <p>Answer: 28 remainder 12</p> </div> <div style="text-align: center;"> <p><small>15x20</small></p> <math display="block">\begin{array}{r} 28 \\ 15 \overline{) 432} \\ \underline{300} \\ 132 \\ \underline{120} \\ 12 \end{array}</math> <p><math>\frac{12}{15} = \frac{4}{5}</math></p> <p>Answer: <math>28 \frac{4}{5}</math></p> </div> <div style="text-align: center;"> <p><small>15x20</small></p> <math display="block">\begin{array}{r} 28.8 \\ 15 \overline{) 432.0} \\ \underline{300} \\ 132 \\ \underline{120} \\ 120 \\ \underline{120} \\ 0 \end{array}</math> <p>Answer: 28.8</p> </div> </div>	1x15=15	to 15 1		2x15=30	30 2		3x15=45	45 3		4x15=60	60 4		5x15=75	75 5		6x15=90	90 6		7x15=105	105 7		8x15=120		
1x15=15	to 15 1																									
2x15=30	30 2																									
3x15=45	45 3																									
4x15=60	60 4																									
5x15=75	75 5																									
6x15=90	90 6																									
7x15=105	105 7																									
8x15=120																										

--	--	--

For fractions guidance please visit:

<http://nrich.maths.org/2550/index?nomenu=1>

Please contact the Maths Subject Leader for any clarification on any further methods to be used.